

Table A. - Acreage and Proportionate Extent of the Soils

Charlotte County, Virginia

Map Symbol	Soil Name	Acres	Percent
AbB	Abell soils, 2 to 6 percent slopes	1,198	0.4
Ad	Alluvial land	672	0.2
AfA	Altavista fine sandy loam, 0 to 2 percent slopes	264	*
AfB	Altavista fine sandy loam, 2 to 6 percent slopes	1,565	0.5
AfC2	Altavista fine sandy loam, 6 to 10 percent slopes, eroded	290	*
AgB2	Appling fine gravelly sandy loam, 2 to 6 percent slopes, eroded	3,863	1.3
AgD2	Appling fine gravelly sandy loam, 6 to 15 percent slopes, eroded	8,197	2.7
AgE2	Appling fine gravelly sandy loam, 15 to 25 percent slopes, eroded	536	0.2
AlB2	Appling fine sandy loam, 2 to 6 percent slopes, eroded	13,081	4.3
AlC	Appling fine sandy loam, 6 to 10 percent slopes	1,124	0.4
AlD2	Appling fine sandy loam, 6 to 15 percent slopes, eroded	18,079	5.9
AlE2	Appling fine sandy loam, 15 to 25 percent slopes, eroded	939	0.3
AmB2	Appling fine sandy loam, very deep, 2 to 6 percent slopes, eroded	2,941	1.0
AmD2	Appling fine sandy loam, very deep, 6 to 15 percent slopes, eroded	3,579	1.2
ApC3	Appling clay loam, 4 to 10 percent slopes, severely eroded	1,095	0.4
ApE3	Appling clay loam, 10 to 20 percent slopes, severely eroded	1,454	0.5
AuA	Augusta fine sandy loam, 0 to 2 percent slopes	878	0.3
AuB	Augusta fine sandy loam, 2 to 6 percent slopes	651	0.2
Bn	Buncombe loamy sand	420	0.1
Bt	Buncombe-Toccoa complex	966	0.3
CcB2	Cecil fine gravelly sandy loam, 2 to 6 percent slopes, eroded	1,364	0.4
CcD2	Cecil fine gravelly sandy loam, 6 to 15 percent slopes, eroded	925	0.3
CcE2	Cecil fine gravelly sandy loam, 15 to 25 percent slopes, eroded	218	*
CeB2	Cecil fine sandy loam, 2 to 6 percent slopes, eroded	20,095	6.6
CeD2	Cecil fine sandy loam, 6 to 15 percent slopes, eroded	15,612	5.1
CeE2	Cecil fine sandy loam, 15 to 25 percent slopes, eroded	1,114	0.4
CfB2	Cecil fine sandy loam, very deep, 2 to 6 percent slopes, eroded	3,653	1.2
CfD2	Cecil fine sandy loam, very deep, 6 to 15 percent slopes, eroded	2,870	0.9
CfE2	Cecil fine sandy loam, very deep, 15 to 25 percent slopes, eroded	219	*
ClB3	Cecil clay loam, 2 to 6 percent slopes, severely eroded	488	0.2
ClD3	Cecil clay loam, 6 to 15 percent slopes, severely eroded	965	0.3
ClE3	Cecil clay loam, 15 to 25 percent slopes, severely eroded	722	0.2
CmB3	Cecil clay loam, very deep, 2 to 6 percent slopes, severely eroded	4,276	1.4
CmD3	Cecil clay loam, very deep, 6 to 15 percent slopes, severely eroded	17,286	5.7
Cn	Chewacla silt loam	4,205	1.4
CoB	Colfax fine sandy loam, 2 to 6 percent slopes	575	0.2
Cr	Congaree silt loam	1,362	0.4
CsB2	Creedmoor sandy loam, 2 to 6 percent slopes, eroded	681	0.2
CsC2	Creedmoor sandy loam, 6 to 10 percent slopes, eroded	379	0.1
CuB2	Cullen loam, 2 to 6 percent slopes, eroded	1,163	0.4
CuD2	Cullen loam, 6 to 15 percent slopes, eroded	2,352	0.8
CuE2	Cullen loam, 15 to 25 percent slopes, eroded	462	0.2
CvB3	Cullen clay loam, 2 to 6 percent slopes, severely eroded	3,440	1.1
CvD3	Cullen clay loam, 6 to 15 percent slopes, severely eroded	2,287	0.7
EnB2	Enon fine sandy loam, 2 to 6 percent slopes, eroded	2,304	0.8
EnC2	Enon fine sandy loam, 6 to 10 percent slopes, eroded	1,908	0.6
EoC3	Enon clay loam, 4 to 12 percent slopes, severely eroded	547	0.2
GeB2	Georgeville silt loam, 2 to 6 percent slopes, eroded	10,527	3.4
GeD2	Georgeville silt loam, 6 to 15 percent slopes, eroded	5,892	1.9
GeE2	Georgeville silt loam, 15 to 25 percent slopes, eroded	965	0.3

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Charlotte County, Virginia

Map Symbol	Soil Name	Acres	Percent
GgB3	Georgeville silty clay loam, 2 to 6 percent slopes, severely eroded	4,520	1.5
GgD3	Georgeville silty clay loam, 6 to 15 percent slopes, severely eroded	4,580	1.5
GoC	Goldston silt loam, 4 to 10 percent slopes	1,652	0.5
GoD	Goldston silt loam, 10 to 15 percent slopes	2,895	0.9
GoF	Goldston silt loam, 15 to 35 percent slopes	2,611	0.9
GrB2	Grover sandy loam, 2 to 6 percent slopes, eroded	304	*
GrD2	Grover sandy loam, 6 to 15 percent slopes, eroded	687	0.2
GuE	Gullied land-Cecil complex, moderately steep	1,799	0.6
HeB	Helena fine gravelly sandy loam, 2 to 6 percent slopes	424	0.1
HeC2	Helena fine gravelly sandy loam, 6 to 10 percent slopes, eroded	226	*
HfB2	Helena fine sandy loam, 2 to 6 percent slopes, eroded	2,076	0.7
HfC2	Helena fine sandy loam, 6 to 10 percent slopes, eroded	1,166	0.4
HnB2	Herndon silt loam, 2 to 6 percent slopes, eroded	5,502	1.8
HnD2	Herndon silt loam, 6 to 15 percent slopes, eroded	8,572	2.8
HrB3	Herndon silty clay loam, 2 to 6 percent slopes, severely eroded	239	*
HrD3	Herndon silty clay loam, 6 to 15 percent slopes, severely eroded	1,239	0.4
IrB	Iredell loam, 2 to 6 percent slopes	1,091	0.4
IrB2	Iredell loam, 2 to 6 percent slopes, eroded	1,517	0.5
IrC2	Iredell loam, 6 to 10 percent slopes, eroded	1,304	0.4
LoD	Louisa fine sandy loam, 6 to 15 percent slopes	442	0.1
LoF	Louisa fine sandy loam, 15 to 35 percent slopes	1,065	0.3
LsE3	Louisa and Louisburg soils, 15 to 25 percent slopes, severely eroded	656	0.2
LuC	Louisburg sandy loam, 4 to 10 percent slopes	1,123	0.4
LuD	Louisburg sandy loam, 10 to 15 percent slopes	2,186	0.7
LuF	Louisburg sandy loam, 15 to 35 percent slopes	2,890	0.9
MaB2	Madison fine sandy loam, 2 to 6 percent slopes, eroded	1,872	0.6
MaD2	Madison fine sandy loam, 6 to 15 percent slopes, eroded	1,671	0.5
McB3	Madison clay loam, 2 to 6 percent slopes, severely eroded	867	0.3
McD3	Madison clay loam, 6 to 15 percent slopes, severely eroded	2,204	0.7
MdE2	Madison and Grover fine sandy loams, 15 to 25 percent slopes, eroded	441	0.1
MeB2	Masada fine sandy loam, 2 to 6 percent slopes, eroded	1,343	0.4
MeD2	Masada fine sandy loam, 6 to 15 percent slopes, eroded	1,570	0.5
MeE	Masada fine sandy loam, 15 to 25 percent slopes	668	0.2
MfB2	Mayodan sandy loam, 2 to 6 percent slopes, eroded	521	0.2
MfD2	Mayodan sandy loam, 6 to 15 percent slopes eroded	501	0.2
MkB2	Mecklenburg loam, 2 to 6 percent slopes, eroded	376	0.1
MkC2	Mecklenburg loam, 6 to 12 percent slopes, eroded	562	0.2
MIB	Mecklenburg loam, loamy subsoil variant, 2 to 6 percent slopes	359	0.1
MIC	Mecklenburg loam, loamy subsoil variant, 6 to 10 percent slopes	585	0.2
MIE	Mecklenburg loam, loamy subsoil variant, 10 to 25 percent slopes	609	0.2
MIE3	Mecklenburg loam, loamy subsoil variant, 10 to 25 percent slopes, severely eroded	362	0.1
OrB	Orange silt loam, 2 to 6 percent slopes	864	0.3
OrB2	Orange silt loam, 2 to 6 percent slopes, eroded	4,246	1.4
OrC2	Orange silt loam, 6 to 10 percent slopes, eroded	976	0.3
PaB2	Pacolet fine sandy loam, 2 to 6 percent slopes, eroded	375	0.1
PaD2	Pacolet fine sandy loam, 6 to 15 percent slopes, eroded	1,170	0.4
PaE2	Pacolet fine sandy loam, 15 to 25 percent slopes, eroded	1,192	0.4
PcC3	Pacolet clay loam, 4 to 10 percent slopes, severely eroded	344	0.1
PcD3	Pacolet clay loam, 10 to 15 percent slopes, severely eroded	449	0.1
PkC	Pinkston fine sandy loam, 6 to 10 percent slopes	227	*

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Charlotte County, Virginia

Map Symbol	Soil Name	Acres	Percent
PkE	Pinkston fine sandy loam, 10 to 25 percent slopes	423	0.1
Ro	Roanoke silt loam	1,256	0.4
SrB	Starr loam, 2 to 6 percent slopes	647	0.2
StB	State silt loam, 2 to 6 percent slopes	283	*
To	Toccoa fine sandy loam	282	*
TuB2	Turbeville fine sandy loam, 2 to 6 percent slopes, eroded	1,505	0.5
TuD2	Turbeville fine sandy loam, 6 to 15 percent slopes, eroded	1,101	0.4
TuF2	Turbeville fine sandy loam, 15 to 35 percent slopes, eroded	677	0.2
TvB3	Turbeville clay loam, 2 to 6 percent slopes, severely eroded	258	*
TvD3	Turbeville clay loam, 6 to 15 percent slopes, severely eroded	754	0.2
VaB2	Vance fine gravelly sandy loam, 2 to 6 percent slopes, eroded	1,097	0.4
VaD2	Vance fine gravelly sandy loam, 6 to 15 percent slopes, eroded	1,195	0.4
VcB2	Vance fine sandy loam, 2 to 6 percent slopes, eroded	1,564	0.5
VcC2	Vance fine sandy loam, 6 to 10 percent slopes, eroded	1,073	0.4
VcD2	Vance fine sandy loam, 10 to 15 percent slopes, eroded	458	0.1
WdB2	Wedowee fine sandy loam, 2 to 6 percent slopes, eroded	335	0.1
WdD2	Wedowee fine sandy loam, 6 to 15 percent slopes, eroded	1,183	0.4
We	Wehadkee fine sandy loam, overwash	2,307	0.8
Wh	Wehadkee silt loam	1,579	0.5
Wk	Wehadkee-Chewacla complex	14,521	4.8
WIB	Wickham fine sandy loam, 2 to 6 percent slopes	499	0.2
WIC2	Wickham fine sandy loam, 6 to 10 percent slopes, eroded	152	*
WmB	Wilkes fine sandy loam, 2 to 6 percent slopes	841	0.3
WmD	Wilkes fine sandy loam, 6 to 15 percent slopes	5,873	1.9
WmF	Wilkes fine sandy loam, 15 to 35 percent slopes	6,987	2.3
WnC3	Wilkes soils, 4 to 10 percent slopes, severely eroded	712	0.2
WnF3	Wilkes soils, 10 to 35 percent slopes, severely eroded	2,917	1.0
Wo	Worsham soils	2,240	0.7
Wr	Worsham soils, fragipan variant	393	0.1
Total		298,880	97.8

* Less than 0.1 percent.